

Bilance di Precisione



catalogo 2017



Bilance Analitiche



MODELLO	BX104	BX124	BX204	BX224	BX2004C	BX2204C
SPECIFICHE	100g/0.1mg	120g/0.1mg	200g/0.1mg	220g/0.1mg	200g/0.1mg	220g/0.1mg
CLASS	I					
RESOLUTION	0.0001g (0.1mg)					
REPEAT ABILITY	±0.0002g					
LINER	±0.0003g					
STABLE TIME	≤3s					
OP.TEMP	17.5℃~22.5℃					
PAN SIZE	Φ80mm					
DEMENSION	340*215*350 (L×W×H) mm					
POWER	Power Line					
CAL.METHOD	EXTERNAL					
N.WEIGHT	6.5kg					
G.WEIGHT	10.0kg					
PACKING SIZE	470X320X490 (L×W×H) mm					
INTERFACE	RS232					

Bilance Analitiche



MODELLO	BA130P	BA330P
SPECIFICHE	110g/0.001g	310g/0.001g
CLASS	II	
RESOLUTION	0.001g (1mg)	
REPEAT ABILITY	±0.002g	
LINER	±0.003g	
STABLE TIME	≤3 s	
OP. TEMP	17.5℃~22.5℃	
PAN SIZE	Φ80mm	
DEMENSION	270*195*265 (L×W×H) mm	
POWER	Power Line	
CAL.METHOD	EXTERNAL	
N.WEIGHT	6.5kg	
G.WEIGHT	10.0kg	
PACKING SIZE	340*275*350 (L×W×H) m	
INTERFACE	RS232	

Balance Elettroniche



MODELLO	BX1000-2C	BX2000-2C	BX3000-2C
SPECIFICHE	1100g/0.01g	2100g/0.01g	3100g/0.01g
ACCURACY	III		
RESOLUTION	0.01g		
REPEATABILITY	±0.02g		
LINER	±0.03g		
STAB.TIME	≤3 S		
OP.TEMP	17.5°C~22.5°C		
PANSIZE	Φ130mm		
DIMENSION	270*195*65 (L×W×H) mm		
POWER	Power adopter		
CALIBRATION	External		
N.WEIGHT	1.5kg		
G.WEIGHT	2.5kg		
PACKINGSIZE	330*230*135 (L×W×H) mm		
INTERFACE	RS232 (Option)		

Balance Elettroniche



MODELLO	BX3000-4F	BX5000-4F	BX11000-4F
SPECIFICHE	3300g/0.1g	5500g/0.1g	11000g/0.1g
DISPLAY	LED		
ACCURACY	III		
RESOLUTION	0.1g		
REPEATABILITY	±0.2g		
LINER	±0.3g		
STAB.TIME	≤3 S		
OP.TEMP	17.5°C~22.5°C		
PAN SIZE	Φ130mm/160X160mm		
DIMENSION	270*195*65 (L×W×H) mm		
POWER	Adopter		
CALIBRATION	External		
N.WEIGHT	2.0kg		
G.WEIGHT	2.5kg		
PACKINGSIZE	850*420*430 (L×W×H) mm		

Balance Elettroniche




MODELLO	BX2000-1CF	BX3000-1CF	BX5000-1CF
SPECIFICHE	2100g/0.1g	3100g/0.1g	5100g/0.1g
ACCURACY	III		
RESOLUTION	0.1g		
REPEATABILITY	±0.2g		
LINER	±0.3g		
STAB.TIME	≤3 S		
OP.TEMP	17.5°C~22.5°C		
PANSIZE	160 X 160		
DIMENSION	270*195*65 (L×W×H) mm		
POWER	adopter		
CALIBRATION	External		
N.WEIGHT	1.5kg		
G.WEIGHT	2.5kg		
PACKINGSIZE	330*210*135 (L×W×H) mm		
INTERFACE	RS232 (Option)		

Bilance Digitali



MODELLO	BX3000-B	BX5000-B	BX11000-B	BX16000-B	BX22000-B	BX28000-B
SPECIFICHE	3300g/0.1g	5500g/0.1g	11Kg/0.1g	16Kg/0.1g	22Kg/0.1mg	28Kg/0.1g
DISPLAY	LCD					
CLASS PRECISION	III					
RESOLUTION	0,1g					
REPEATABILITY	±0,2g					
LINER	±0,3g					
STAB.TIME	≤3 S					
OP.TEPM	17.5°C~22.5°C					
PANSIZE	315X230mm					
DIMENSION	315*365*110 (L×W×H) mm					
POWER	POWER LINE(Rechargeable Battery)					
CALIBRATION	EXTERNAL					
N.WEIGHT	3.0kg					
G.WEIGHT	4.5kg					
PACKING SIZE	410*380*170 (L×W×H) mm					

Bilancia a Piattaforma



MODELLO	BX200-E	BX300-E	BX500-E	BX30-E	BX60-E	BX100-E	BX150-E
SPECIFICHE	220kg/10g	330kg/10g	550Kg/50g	33Kg/1g	66Kg/1g	110Kg/1g	150kg/1g
DISPLAY	LCD						
CLASS PRECISION	III						
RESOLUTION			10g			1g	
REPEATABILITY			10g			1g	
LINER			10g			1g	
STAB.TIME	≤3 S						
OP.TEMP	17.5°C~22.5°C						
PAN SIZE	400X500/450X600/600X800mm						
DIMENSION	Fix Up						
POWER	Power line(Rechargeable Battery)						
CALIBRATION	EXTERNAL						
N.WEIGHT	3.0kg						
G.WEIGHT	4.5kg						
PACKING SIZE	850*420*170 (L×W×H) mm						